Author's accepted manuscript (postprint)

Straw vs. peat as nest-building material - The impact on farrowing duration and piglet mortality in loose-housed sows

Rosvold, E. M. & Andersen, I. L.

Published in:Livestock ScienceDOI:10.1016/j.livsci.2019.05.014

Available online: 20 May 2019

Citation:

Rosvold, E. M. & Andersen, I. L. (2019). Straw vs. peat as nest-building material - The impact on farrowing duration and piglet mortality in loose-housed sows. Livestock Science, 229. doi: 10.1016/j.livsci.2019.05.014

© 2019. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <u>http://creativecommons.org/licenses/by-nc-nd/4.0</u>

This is an Accepted Manuscript of an article published by Elsevier in Livestock Science on 20/05/2019, available online:

https://www.sciencedirect.com/science/article/pii/S1871141318304396?via%3Dihub

- Straw vs. peat as nest-building material the impact on farrowing
 duration and piglet mortality in loose-housed sows
- 3 Ellen Marie Rosvold*†, Inger-Lise Andersen*
- 4 * Norwegian University of Life Sciences, Faculty of Biosciences, Department of Animal and Aquacultural
- 5 Sciences, PO Box 5003, 1432 Ås, Norway
- 6 *† Nord University, Faculty of Biosciences and Aquaculture, PO Box 2501, 7729 Steinkjer, Norway*
- 7 Corresponding author: Ellen Marie Rosvold. E-mail: <u>ellen.m.rosvold@nord.no</u>
- 8

9 Abstract

10 Provision of nest-building material pre-partum is required by farm animal legislation in Norway, but as 11 some farmers have problems with straw in the slurry system, alternative and finer-grained substrates 12 could be of interest. The aim of the present study was to examine the effects of providing different nest-13 building materials before farrowing (peat and long-stemmed straw) on farrowing duration and piglet 14 mortality. Sows of Norsvin Landrace x Swedish Yorkshire were loose-housed in individual farrowing 15 pens with their litter throughout the entire lactation period, and provided with peat (n=18), longstemmed straw (n=17), or controls (n=18), from two days before expected farrowing until farrowing. 16 Parity ranged from 1 to 9 (mean \pm SE: 2.9 \pm 2.0), of which 16 were gilts. The farrowing was video 17 18 recorded, and the farrowing duration registered from first to last piglet born. Dead piglets were subjected 19 to a post mortem.

- Sows provided with long-stemmed straw pre-partum had shorter farrowing duration compared to sows provided with peat or controls (P < 0.001). The percentage of stillborn piglets was also lowest among sows in the straw group compared to the other two groups (P < 0.001). Sows of parity \geq 4 had longer farrowing duration than gilts and sows of parity 2-3 (P < 0.001). Farrowing duration (P < 0.001) and
- 24 the percentage of stillborn piglets increased (P < 0.001) with an increasing number of total born piglets.
- 25 Moreover, increased litter size resulted in a higher pre-weaning mortality (P = 0.016).

The present study shows that provision of nest-building material before farrowing is important for the birth process of the sow as it reduces farrowing duration and percentage of stillborn piglets compared to controls without relevant substrate. Although peat gave better results than the control treatment, our results suggest that long-stemmed straw is a more appropriate nest-building material.

- 30 Keywords: Nest building, Nest-building material, Loose-housed sows, Farrowing duration, Stillbirth,
- 31 Piglet mortality

32 Highlights:

- Farrowing duration was shorter for loose-housed first parity and older sows provided with nest building material before farrowing.
- Loose-housed sows provided with long-stemmed straw had lower percentage of stillborn
 piglets.
- Nest-building material had no significant effect on live born mortality.

38 1. Introduction

39 Sows are highly motivated to build a nest before farrowing (e.g. Wischner et al., 2009), and previous 40 studies have found that providing nest-building material, such as straw, has a positive effect on nest-41 building behaviour (e.g. Thodberg et al., 1999; Westin et al., 2015b; Rosvold et al., 2018). When the 42 sows are allowed to go through a process of nest building, stress is reduced (i.e. hormonal changes; e.g. 43 Yun and Valros (2015)), and maternal behaviour improves, which may indirectly affect piglet survival 44 (Cronin and van Amerongen, 1991; Herskin et al., 1998; Thodberg et al., 1999; Andersen et al., 2005; 45 Yun et al., 2013; 2014). Only a few studies have actually documented a direct relationship between 46 nest-building performance and piglet survival (Ocepek and Andersen, 2017). There are also a few 47 studies showing reduced farrowing duration and reduced incidence of stillbirths when the sow is 48 allowed to express nest-building behaviour with access to relevant material (Thodberg et al., 1999; 49 Westin et al., 2015a; 2015b).

Even though straw is a material with positive impact, many farmers hesitate to use it due to the risk of bedding falling through the slatted floor and blocking the drains in the slurry system, and because of more labour needed to maintain pen cleanliness. Peat is finer grained with structural similarities to soil, and suitable for rooting, digging and pawing (Studnitz et al., 2007; Vanheukelom et al., 2011), which also are elements of nest-building behaviour. Therefore, peat is of interest as a nest-building material.

The aim of the present project was to investigate the effects of two different nest-building materials on farrowing duration and piglet mortality in individually loose-housed sows. We predicted that provision of peat or long-stemmed straw to sows before farrowing would result in a shorter farrowing duration and a lower piglet mortality compared to sows without access to nest-building material. Due to more positive behavioural effect pre-partum of straw vs. peat (i.e. slightly larger variety of nest-building behaviours, more nest building and a lower frequency of stereotypies; Rosvold et al. (2018)), we also predicted stronger effects of straw than peat on farrowing duration and piglet mortality.

62 2. Materials and methods

63 The present study was conducted in accordance with the Norwegian laws and regulations controlling64 experiments and procedures on live animals (Nara, 2015).

65 2.1. Experimental design

66 During three farrowing batches, 54 sows, kept loose in individual farrowing pens, were randomly (but 67 balanced for parity) assigned to one of three treatment groups differing in nest-building material: peat, long-stemmed straw or control. There were 18 sows in each treatment group and 18 sows in each batch 68 69 (6 sows per treatment per batch). The sows were video recorded from two days pre-partum until three 70 days afterwards to document the sows` pre-partum nest-building behaviour, farrowing duration, activity 71 and maternal behaviour. Due to abortion by one sow and failure of video recordings during farrowing 72 of two sows, we collected information about litters and piglet mortality in 53 sows, and farrowing 73 duration of 51 sows.

74 2.2. Animals, housing and feeding

75 The study took place at Mære Agricultural College in Steinkjer, Norway, from May to September 2014. 76 The sows were Norsvin Landrace x Swedish Yorkshire, ranging in parity from 1 to 9 (mean ± SE: 2.9 \pm 2.0), of which 16 were gilts. Mean parity in the treatment groups control, peat and long-stemmed 77 78 straw were 2.9 ± 0.5 , 3.0 ± 0.5 and 2.9 ± 0.5 respectively, and mean parity in the three farrowing batches 79 were 2.7 ± 0.4 , 3.3 ± 0.6 , and 2.9 ± 0.4 respectively. The sows were inseminated with semen from Duroc 80 boars. The sows were moved from group gestation pens (concrete floor covered with wood-shavings, 81 and sows provided with rooting material and roughage daily) to individual farrowing pens at 3 to 4 82 weeks before farrowing. The farrowing pens had an area of 8.2 m^2 , of which 2.9 m^2 was slatted flooring 83 (Fig. 1) in one farrowing room with four rows of pens (20 pens in total). The different material 84 treatments were distributed in all four pen rows. According to standard practice in Norway, none of the 85 farrowings were artificially induced, and no laxatives were added to the diet prior to farrowing.

86 The farrowing room was insulated, and mechanically ventilated. The room temperature was regulated 87 to 20°C, and the pen creep area was equipped with floor heating kept at 35°C and heat lamps, which 88 were removed when the piglets were one week of age. The indoor air temperature was measured by two temperature loggers (Tinytag, Gemini Data Loggers, Chichester, UK) placed in different parts of the 89 farrowing room. Due to variation in the outdoor temperature, indoor temperature differed between the 90 91 batches. From one day before the first farrowing until four days after the last farrowing (12 days), the 92 average temperature was 20.0°C (range 16.8°-24.7°C) for the first batch in May, 23.6°C (19.1°-31.8°C) 93 for the second batch in July, and 20.5°C (17.3°-24.1°C) for the third batch at the end of August.

94 The sows had access to natural light through windows. Consequently, during the summer, it remained 95 light indoors through most of the night. Room lights were on throughout the working day, and only 96 switched on during the night for additional visibility if needed when assisting sows during farrowing.

- 97 Before farrowing, the sows were fed twice a day by automatic distribution with a lactation concentrate
- 98 (FK FORMAT Laktasjon, Felleskjøpet, Steinkjer, NO) at approximately 08:30 and 16:00 h, and once
- 99 during the day with a farrowing concentrate given by hand (FK FORMAT Fødsel, Felleskjøpet,

Steinkjer, NO). In accordance with Norwegian legislation, hay (ca 0.3 kg) was distributed to all the sows once every day through the pre-farrowing and lactation periods. After farrowing and through the whole lactation period the sows were fed four times a day by the automatic distribution, and the first 7 days after farrowing once daily by hand.

104 After farrowing, wet straw and litter were replaced with dry litter (wood shavings). The sows were taken out of the pen on the first day after farrowing for getting some physical exercise and weight 105 106 measurement. All the piglets were tooth grinded and they received iron paste orally within the first 24 107 h after birth (Pluss Jernstarter, 1.5 mL; Felleskjøpet). Peat enriched with iron (Pluss Smågristorv, Felleskjøpet) was also provided to all piglets daily from three days after birth (1/2 L, which increased 108 to 1 L per litter within the first two weeks), and concentrate (FK FORMAT Kvikk, Felleskjøpet, 109 110 Steinkjer, NO) from three days of age. The male piglets were surgically castrated within the first two weeks after birth. Cross-fostering was done between 12-48 h after farrowing. Litter size in this study is 111 thus defined as: number of live born piglets + piglets fostered on – piglets fostered off. Weaning was 112 113 done at around 5 weeks of age.

114 2.3. Post mortem examination of dead piglets

From farrowing until weaning dead piglets were subjected to a post mortem to determine cause of death, and categorized into stillborn (lungs sink when laid in water), crushed (physical signs of crushing were bruising to the body, fractions, haemorrhage or crushed internal organs), starvation (no milk in stomach), and other causes. Piglets that suffered from injuries or starvation, and not able to survive, were euthanized by the staff.

120 2.4. Distribution of nest-building material

121 Nest-building material was provided from two days before expected farrowing. In the morning, the 122 farrowing pens were cleaned and dry wood shavings provided, which had a function as litter for hygienic purposes (0.8 kg, mainly from spruce, same amount to all pens irrespective of treatment, in 123 124 accordance with Norwegian legislation). Then either 4 kg of peat (90% peat with added formic acid, 125 acetic acid, potassium sorbate and coal; 75% water content, 7.6% crude fiber, and 2.4% ash; Fossli AS, 126 Frosta, NO) or 2 kg of long-stemmed straw (barley) were added to peat and straw treatment pens 127 respectively. Because peat was only about half the volume of straw, the amount was doubled to even 128 out this difference. Sows in the control group did not receive any more material for nest building 129 (Rosvold et al., 2018). In the afternoon the procedure was repeated, with a new provision of litter (0.8 kg wood shavings) to each pen if necessary to replace wet and dirty litter, and a refill of 2 kg peat or 1 130 131 kg long-stemmed straw to the respective treatment groups. The pen cleaning procedure with provision of new litter was done every day until farrowing. Refills of peat were repeated each morning and 132 afternoon until farrowing, as the peat was spread out in the pen because of wallowing and rooting, and 133

disappeared as it was eaten by the sow and went through the slatted floor. Further refill of straw wasonly necessary if the sow's farrowing was later than expected and dirty straw needed to be replaced.

136 2.5. Video recordings

- A video camera sensitive to low light (Foscam F19821, 1280x720, Shenzhen, PRC), was suspended
 above each farrowing pen and connected to a standard PC to record the farrowing process. Farrowing
 was defined as started when the first piglet was expelled and ended with the birth of the last piglet.
- **140** 2.6. Statistical analysis
- 141 SAS Version 9.4 (SAS Institute, Inc., Cary, NC) was used to perform statistical analyses. The effects of nest-building material (Control, Peat, Straw), parity $(1, 2-3, \ge 4)$, batch (1,2,3), litter size (continuous 142 143 variable), and the interaction between material and parity and the interaction between material and batch, were analysed by a general linear model (PROC GLM) for the following, normally distributed 144 145 variables: live born, litter size, mortality of live born, percentage of crushed piglets. A generalized 146 model (PROC GENMOD) with Poisson distribution for not normally distributed variables (farrowing duration, stillborn, weaned, starvation and other causes) were also used. Descriptive statistics were 147 148 obtained using SPSS Version 23 (IBM Corp., Armonk, NY).
- 149 3. Results

150 3.1. Farrowing duration

151 Mean farrowing duration was 349.9 ± 34.0 min (mean \pm SE), ranging from 90-1235 min (n=51). 152 Provision of straw resulted in significantly shorter farrowing duration than peat, whereas the longest 153 was observed in the control group (Table 1). Farrowing duration increased with parity, as gilts (n=16) 154 spent 262.6 \pm 48.7 min on the birth process, sows of parity 2-3 (n=20) spent 362.1 \pm 52.4 min, and 155 parity \geq 4 sows (n=17) 422.9 \pm 71.6 min ($\chi^2_{2,35} =$ 810.75, P <0.001).

- There was a significant interaction between material and parity (Table 1, Fig. 2), where sows in the control group of parity \geq 4 had the longest farrowing duration, and gilts in the straw group had the shortest. Farrowing duration was quite similar between sows in the peat and straw group in parity 1 and \geq 4, but a little longer in the latter group, and among sows in parity 2-3, those that received peat had the longest duration.
- 161 Increased number of total born piglets (live born + stillborn) increased the farrowing duration ($\chi^2_{1,35}$ =
- 162 226.83, P <0.001; Fig. 5a). Farrowing duration differed between the three batches (mean \pm SE), 359.8
- 163 \pm 57.1 min, 257.6 \pm 27.6 min, and 432.4 \pm 76.5 min respectively ($\chi^2_{2,35} =$ 765.07, P <0.001), and sows
- 164 in batch 3 had the longest duration. There was also a significant interaction between material and batch
- 165 on farrowing duration (Table 1). In the control group the farrowing duration (mean \pm SE) in the three
- 166 farrowing batches was 272.6 ± 79.6 min, 306.7 ± 40.6 min and 761.4 ± 186.5 respectively, in the peat

- 167group $451.5 \pm 118.5 \text{ min}, 231.0 \pm 51.9 \text{ min}$ and 285.7 ± 14.7 respectively, and in the straw group 340.8168 $\pm 90.9 \text{ min}, 230.6 \pm 52.3 \text{ min}$ and $305.0 \pm 64.1 \text{ min}$ respectively.
- 169 3.2. Piglet mortality
- 170 *3.2.1. Overall production and piglet mortality results*
- 171 The 53 sows gave birth to 845 piglets in total; 15.9 ± 0.5 (mean \pm SE) total born per litter (ranging from
- 172 6 to 24). Of these 794 were live born (15.0 \pm 0.5) and 51 stillborn (0.9 \pm 0.2). Stillbirths occurred in 28
- 173 litters (52.8%), and the mean percentage of stillborn piglets (% of total born) was $5.7 \pm 1.0\%$ (ranging
- 174 from 0-28.6%).
- 175 The total mortality of live born piglets (% of litter size) was $18.0 \pm 1.9\%$, ranging from 0-55%, and 14.2
- 176 \pm 1.7% of the piglets died of crushing, 2.8 \pm 0.8% of starvation and 1.0 \pm 0.3% of other causes. Within
- the first three days after farrowing, 68.6% of the mortality had occurred. Total number of weaned piglets
- 178 per sow was 12.0 ± 0.3 (ranging from 6-15).
- 179 In 20 out of 53 litters (37.7%), the mortality of live born piglets was >20% (ranging from 21.1% to
- 180 55.0%). In 14 litters (26.4%) the total mortality of live born piglets was <8%, and in eight litters there
 181 was no mortality (Fig. 3).
- 182 *3.2.2. Effects of nest-building materials and parity on piglet mortality*
- Sows provided with straw had the lowest percentage of stillborn piglets, significantly lower than peatand controls, and sows provided with peat had lower percentage of stillborn piglets than controls (Table
- 185 1). Nest-building material had no significant influence on total mortality of live born piglets or on the
- 186 different mortality causes. The number of live born piglets, litter size and the number of piglets at
- 187 weaning were not significantly different between the treatments.
- 188 Parity had no effect on stillbirths, total piglet mortality, any of the mortality causes or number of weaned
- piglets. The number of live born piglets increased with increasing parity; Parity 1: 13.1 ± 0.7 , Parity 2-
- 190 3: 15.7 ± 0.7 , Parity \geq 4: 16.0 ± 0.9 (F_{2,14} = 4.70, P = 0.015), and also litter size; Parity 1: 13.1 ± 0.7 ,
- 191 Parity 2-3: 15.5 ± 0.6 , Parity ≥ 4 : 15.8 ± 0.9 (F _{2,14} = 4.72, P = 0.015).
- 192 There was an interaction between material and parity regarding percentage of stillborn piglets (Table 1, 193 Fig. 4). Sows of parity \geq 4 provided with long-stemmed straw pre-partum had the lowest percentage of
- stillborn piglets, whereas first parity sows in the control group had the highest (Fig. 4). There was also
- a tendency for an interaction between material and parity on mortality of live born piglets (Table 1).
- 196 *3.2.3. Litter size and piglet mortality*
- 197 Increased number of total born piglets resulted in increased percentage of stillborn piglets ($\chi^2_{1,37} = 21.74$,
- 198 P <0.001; Fig. 5b). The litter size (live born \pm cross-fostered) was 14.9 \pm 0.4 piglets (6-24), and
- increased litter size resulted in increased mortality of live born piglets ($F_{1,15} = 6.37$, P = 0.016; Fig. 5c),

and a tendency to more crushed piglets ($F_{1,15} = 3.35$, P = 0.075). Starvation and other causes of death were not significantly influenced by litter size. Increased litter size resulted in a higher number of weaned piglets ($\chi^2_{1,37} = 8.96$, P = 0.003).

203 *3.2.4. Batch and piglet mortality*

204 Total born piglets in the three farrowing batches were 15.9 ± 0.8 , 14.8 ± 0.9 and 17.1 ± 0.9 respectively, not significantly different. Farrowing batch had a significant effect on percentage of stillborn piglets 205 (mean $\% \pm SE$), highest in the first batch; batch 1: 6.6 ± 1.8%, batch 2: 4.7 ± 1.9%, batch 3: 5.7 ± 1.4% 206 207 $(\chi^2_{2,37} = 17.34, P < 0.001)$. An interaction effect between material and batch on stillbirths was found (Table 1). In the control group the percentage of stillborn piglets (mean \pm SE) in the three farrowing 208 batches was $9.5 \pm 4.3\%$, $4.7 \pm 2.3\%$ and $10.2 \pm 3.0\%$ respectively, in the peat group $5.6 \pm 2.6\%$, $7.5 \pm$ 209 210 4.6% and 4.8 \pm 1.9% respectively, and in the straw group 4.7 \pm 2.2%, 1.3 \pm 1.3% and 2.1 \pm 1.4% respectively. 211

There were significant differences in live born mortality between the three batches, $13.7 \pm 2.9\%$, $22.2 \pm 4.0\%$, and $18.4 \pm 2.7\%$ respectively (F_{2,15} = 3.99, P = 0.027), highest in the second batch, and significant differences regarding crushing in the three batches, $10.5 \pm 2.7\%$, $18.7 \pm 3.7\%$, and $13.8 \pm 2.4\%$ respectively (F_{2,15} = 3.57, P = 0.038), also highest in the second batch. With respect to starvation, other causes of death and number of weaned piglets there were no significant differences.

217 4. Discussion

218 Nest building is a part of the sow's preparation for motherhood. Although nest-building behaviour is 219 largely motivated by internal processes, relevant external stimuli, such as straw, provided at least from 220 around 12 hours pre-partum (Castrén et al., 1993; Andersen et al., 2005), will encourage the sows to 221 spend more time on nest building and express a larger variety of behavioural elements (Westin et al., 222 2015b; Rosvold et al., 2018). As predicted, the presence of nest-building material resulted in a lower 223 percentage of stillborn piglets compared to the control group, in accordance with previous studies 224 (Westin et al., 2015a), but the effects of material differed between sows of different parity. Percentage of stillborn piglets were lowest for multiparous sows provided with long-stemmed straw, whereas sows 225 226 in the peat and control groups had a quite similar percentage of stillborn piglets, suggesting that straw 227 is a better material for nest building in experienced sows. However, for first parity sows, the percentage 228 of stillborn piglets did not differ much between the peat and the straw treatment, suggesting that type of material is less crucial for stillbirths in these sows. 229

As predicted, farrowing duration was shorter for sows provided with nesting material than sows in the control group. However, the effects of material was not significant for sows of parity 2 and 3, and the reason for this is unclear. A large number of different studies have documented an association between farrowing duration and the probability of stillbirths (Borges et al., 2005; van Dijk et al., 2005; Canario 234 et al., 2006; Oliviero et al., 2010; Björkman et al., 2017; Thorsen et al., 2017). The risk of hypoxia is 235 higher during a prolonged farrowing, because of damage or occlusion of the umbilical cord, or a 236 placental detachment, which in turn gives a higher risk for stillbirths (van Dijk et al., 2006). Oxytocin release is of importance for effective contractions of the uterus and rapid birth of the piglets (Algers 237 238 and Uvnäs-Moberg, 2007), and the process of nest building in sows results in elevation of oxytocin levels and a reduction of stress hormones (Yun et al., 2013). It is likely that this is the mechanism 239 240 explaining why we have these effects on stillbirths and farrowing duration. The control sows had the longest mean farrowing duration, and it is possible that the lack of opportunity to fulfil the behavioural 241 242 need of nesting induced stress, which in turn led to a prolonged farrowing. These sows also had the 243 highest frequency of stereotypies before farrowing (Rosvold et al., 2018), indicating more frustration 244 and stress.

In accordance with some previous studies (Cronin et al., 1993; Björkman et al., 2017), farrowing lasted longer in sows of higher parities in the present study. Aging of the uterus in older sows may reduce muscle tone (Marchant et al., 2000; Borges et al., 2005; Canario et al., 2006) and lead to less efficient expulsions and prolong the farrowing process. Another explanation could be that the farrowing duration also increased with a larger number of piglets born, as seen in earlier research (Rens and Lende, 2004; van Dijk et al., 2005), and sows of higher parities gave birth to larger litters in the present study.

251 In the present study, provision of nest-building material did not affect survival of live born piglets in 252 contrast to a recent study by Swan et al. (2018), and to previous work were a high level of nest-building 253 behaviour pre-partum was associated with lower piglet mortality (Cronin and van Amerongen, 1991), and with no crushing (Andersen et al., 2005). It is possible that the effect on mortality is more dependent 254 on how much time the sows spend on nest building, as loose-housed sows with a high score for nest-255 256 building activity had a lower mortality of live born piglets and a higher number of piglets weaned (Ocepek and Andersen, 2017; Ocepek et al., 2017b). Effects of nest-building material are also likely to 257 depend on the amount and the timing of provision. In the present study, we had a limited amount of 258 259 material. It is possible that free access to nest-building material, with individual needs taken into 260 account, would have given stronger effects, as other studies used ad libitum access from a hayrack the last 24 to 48 hours before expected parturition (e.g. Andersen et al., 2005; Ocepek and Andersen, 2017). 261 262 Use of hayrack can simplify management of straw as the sow can pull out the amount she needs without 263 spoiling too much on the floor. Parity had no significant effect on mortality of live born piglets in the 264 present study, in accordance with a few studies (Knol et al., 2002; Carney-Hinkle et al., 2013), while 265 others have documented the opposite (e.g. Marchant et al., 2000; Weber et al., 2009; Andersen et al., 266 2011; Westin et al., 2015a). It is difficult to explain the divergent results on live born mortality with respect to parity, other that the causes are highly multifactorial. 267

268 A higher number of piglets born increased the percentage of stillborn piglets in the present study, which 269 agrees with previous work (Marchant et al., 2000; Borges et al., 2005; Canario et al., 2006). According 270 to Herpin et al. (2001), larger litters are associated with a longer farrowing duration and a higher risk of hypoxia. Live born piglet mortality and the incidence of crushing (tendency) increased with 271 272 increasing litter size, in accordance with previous work (Weary et al., 1998; Marchant et al., 2000; Pedersen et al., 2006; Weber et al., 2009; Andersen et al., 2011; Ocepek et al., 2017a). Consistent with 273 274 earlier work (e.g. Andersen et al., 2011; Kielland et al., 2018), the main cause of death in the present 275 study was crushing. Crushing often occurs immediately after the sow has nosed or oriented towards the 276 piglets, and therefore being aware of their presence. Maternal infanticide by crushing is thus not 277 accidental in many cases, but related to a less protective mothering style (Andersen et al., 2005), and 278 can be considered as a strategy of litter reduction in pigs, especially in larger litters (Andersen et al., 2011; Ocepek et al., 2017a). High litter size also results in more piglets failing to access a teat during a 279 280 nursing bout, due to a higher sibling competition in larger litters, which is a risk for starvation-related piglet mortality (Andersen et al., 2011; Ocepek et al., 2017a). 281

Farrowing duration was longer in the third and first batch. It is possible that a higher number of total born piglets in these batches was a contributing part of the result. Live born mortality and crushing were higher in the second batch when the temperature was substantially higher than in the other two. More piglets tend to be crushed during the hot season (Weber et al., 2009). Moreover, when surrounding temperatures are above the sow's upper critical temperatures, her appetite is reduced, with a negative consequence for milk production (Quiniou and Noblet, 1999; Cabezón et al., 2017), which is in turn negative for piglet performance (Silva et al., 2018).

The mortality of live born piglets was 18% in the present study, in accordance with Kielland et al. (2018) of 18.2%, and slightly lower than the results from Westin et al. (2015a) of 19.5%. The result is higher than the national average in 2014 of 14.2% (Ingris, 2015), and may be explained by the higher number of live born piglets in our study compared to the national average; 15.0 vs. 13.2 piglets (Ingris, 2015). Almost 70% of the mortality occurred within the first three days after birth, corresponding with previous studies (e.g. Marchant et al., 2000; Westin et al., 2015a; Kielland et al., 2018).

295 5. Conclusions

296 The results of our study showed that provision of long-stemmed straw or peat to loose-housed sows

before farrowing resulted in a shorter farrowing duration compared to controls in sows of most parities.

- 298 The percentage of stillborn piglets were lower for sows provided with long-stemmed straw compared
- to both peat and control. The results in the present study thus strengthens the conclusion that long-
- 300 stemmed straw is best suited as nest-building material.

301 Conflict of interest

302 The authors have no conflicts of interest to declare.

303 Acknowledgements

- 304 The authors wishes to thank staff at the pig house at Mære Landbruksskole, Heidi Elise Gaundal, Kine
- 305 Anita Letnes and Geir Næss. The Norwegian Research Council, Norsvin, Animalia, Nortura and Fossli
- AS (NFR207804/O99) financed this project.

307 References

- Algers, B., Uvnäs-Moberg, K., 2007. Maternal behavior in pigs. Hormones and Behavior 52, 78-85.
- Andersen, I.L., Berg, S., Bøe, K.E., 2005. Crushing of piglets by the mother sow (Sus scrofa)—purely
- accidental or a poor mother? Applied Animal Behaviour Science 93, 229-243.
- Andersen, I.L., Nævdal, E., Bøe, K.E., 2011. Maternal investment, sibling competition, and offspring
- survival with increasing litter size and parity in pigs (*Sus scrofa*). Behav Ecol Sociobiol 65, 1159-1167.
- Björkman, S., Oliviero, C., Rajala-Schultz, P.J., Soede, N.M., Peltoniemi, O.A.T., 2017. The effect of
- litter size, parity and farrowing duration on placenta expulsion and retention in sows.
- Theriogenology 92, 36-44.
- Borges, V.F., Bernardi, M.L., Bortolozzo, F.P., Wentz, I., 2005. Risk factors for stillbirth and foetal
- 317 mummification in four Brazilian swine herds. Preventive Veterinary Medicine 70, 165-176.
- 318 Cabezón, F.A., Schinckel, A.P., Marchant-Forde, J.N., Johnson, J.S., Stwalley, R.M., 2017. Effect of
- floor cooling on late lactation sows under acute heat stress. Livestock Science 206, 113-120.
- 320 Canario, L., Cantoni, E., Bihan, E.I., Caritez, J.C., Billon, Y., Bidanel, J.P., Foulley, J.L., 2006. Between-
- breed variability of stillbirth and its relationship with sow and piglet characteristics. Journal ofAnimal Science 84, 3185-3196.
- 323 Carney-Hinkle, E.E., Tran, H., Bundy, J.W., Moreno, R., Miller, P.S., Burkey, T.E., 2013. Effect of dam
- parity on litter performance, transfer of passive immunity, and progeny microbial ecology1. Journal
 of Animal Science 91, 2885-2893.
- 326 Castrén, H., Algers, B., de Passillé, A.M., Rushen, J., Uvnäs-Moberg, K., 1993. Preparturient variation
- in progesterone, prolactin, oxytocin and somatostatin in relation to nest building in sows. AppliedAnimal Behaviour Science 38, 91-102.
- 329 Cronin, G.M., Schirmer, B.N., McCallum, T.H., Smith, J.A., Butler, K.L., 1993. The effects of providing
- 330 sawdust to pre-parturient sows in farrowing crates on sow behaviour, the duration of parturition
- and the occurrence of intra-partum stillborn piglets. Applied Animal Behaviour Science 36, 301-315.
- Cronin, G.M., van Amerongen, G., 1991. The effects of modifying the farrowing environment on sow
- behaviour and survival and growth of piglets. Applied Animal Behaviour Science 30, 287-298.
- Herpin, P., Hulin, J.C., Le Dividich, J., Fillaut, M., 2001. Effect of oxygen inhalation at birth on the
- reduction of early postnatal mortality in pigs. Journal of animal science 79, 5-10.
- Herskin, M.S., Jensen, K.H., Thodberg, K., 1998. Influence of environmental stimuli on maternal
- behaviour related to bonding, reactivity and crushing of piglets in domestic sows. Applied AnimalBehaviour Science 58, 241-254.
- 339 Ingris, 2015. Årsstatistikk 2014 (Annual Report), Animalia Norsvin, Hamar.
- 340 Kielland, C., Wisløff, H., Valheim, M., Fauske, A.K., Reksen, O., Framstad, T., 2018. Preweaning
- 341 mortality in piglets in loose-housed herds: etiology and prevalence. animal, 1-8.
- 342 Knol, E.F., Ducro, B.J., van Arendonk, J.A.M., van der Lende, T., 2002. Direct, maternal and nurse sow
- 343 genetic effects on farrowing-, pre-weaning- and total piglet survival. Livestock Production Science
- 344 73, 153-164.

- 345 Marchant, J.N., Rudd, A.R., Mendl, M.T., Broom, D.M., Meredith, M.J., Corning, S., Simmins, P.H.,
- 346 2000. Timing and causes of piglet mortality in alternative and conventional farrowing systems.
- 347 Veterinary Record 147, 209-214.
- Nara, 2015. Regulations on Animal Experiment, <u>https://lovdata.no/dokument/SF/forskrift/2015-06-</u>
 <u>18-761</u>.
- 350 Ocepek, M., Andersen, I.L., 2017. What makes a good mother? Maternal behavioural traits
- 351 important for piglet survival. Applied Animal Behaviour Science 193, 29-36.
- 352 Ocepek, M., Newberry, R.C., Andersen, I.L., 2017a. Trade-offs between litter size and offspring
- fitness in domestic pigs subjected to different genetic selection pressures. Applied Animal Behaviour
 Science 193, 7-14.
- 355 Ocepek, M., Rosvold, E.M., Andersen-Ranberg, I., Andersen, I.L., 2017b. Can we improve maternal
- 356 care in sows? Maternal behavioral traits important for piglet survival in loose-housed sow herds1.357 Journal of Animal Science 95, 4708-4717.
- Oliviero, C., Heinonen, M., Valros, A., Peltoniemi, O., 2010. Environmental and sow-related factors
 affecting the duration of farrowing. Animal Reproduction Science 119, 85-91.
- 360 Pedersen, L.J., Jørgensen, E., Heiskanen, T., Damm, B.I., 2006. Early piglet mortality in loose-housed
- sows related to sow and piglet behaviour and to the progress of parturition. Applied AnimalBehaviour Science 96, 215-232.
- 363 Quiniou, N., Noblet, J., 1999. Influence of high ambient temperatures on performance of
- 364 multiparous lactating sows. Journal of animal science 77, 2124-2134.
- Rens, B.T.T.M.v., Lende, T.v.d., 2004. Parturition in gilts: duration of farrowing, birth intervals and
- placenta expulsion in relation to maternal, piglet and placental traits. Theriogenology 62, 331-352.
- 367 Rosvold, E.M., Newberry, R.C., Framstad, T., Andersen, I.-L., 2018. Nest-building behaviour and
- activity budgets of sows provided with different materials. Applied Animal Behaviour Science 200,369 36-44.
- 370 Silva, B.A.N., Tolentino, R.L.S., Eskinazi, S., Jacob, D.V., Raidan, F.S.S., Albuquerque, T.V., Oliveira,
- 371 N.C., Araujo, G.G.A., Silva, K.F., Alcici, P.F., 2018. Evaluation of feed flavor supplementation on the
- performance of lactating high-prolific sows in a tropical humid climate. Animal Feed Science and
- 373 Technology 236, 141-148.
- 374 Studnitz, M., Jensen, M.B., Pedersen, L.J., 2007. Why do pigs root and in what will they root?: A
- 375 review on the exploratory behaviour of pigs in relation to environmental enrichment. Applied Animal376 Behaviour Science 107, 183-197.
- Swan, K.-M., Peltoniemi, O.A.T., Munsterhjelm, C., Valros, A., 2018. Comparison of nest-building
 materials in farrowing crates. Applied Animal Behaviour Science.
- 379 Thodberg, K., Jensen, K.H., Herskin, M.S., Jørgensen, E., 1999. Influence of environmental stimuli on
- nest building and farrowing behaviour in domestic sows. Applied Animal Behaviour Science 63, 131 144.
- 382 Thorsen, C.K., Schild, S.-L.A., Rangstrup-Christensen, L., Bilde, T., Pedersen, L.J., 2017. The effect of
- farrowing duration on maternal behavior of hyperprolific sows in organic outdoor production.
 Livestock Science 204, 92-97.
- van Dijk, A.J., van der Lende, T., Taverne, M.A.M., 2006. Acid–base balance of umbilical artery blood
- of liveborn piglets at birth and its relation with factors affecting delivery of individual piglets.
- 387 Theriogenology 66, 1824-1833.
- 388 van Dijk, A.J., van Rens, B.T.T.M., van der Lende, T., Taverne, M.A.M., 2005. Factors affecting
- duration of the expulsive stage of parturition and piglet birth intervals in sows with uncomplicated,
 spontaneous farrowings. Theriogenology 64, 1573-1590.
- 391 Vanheukelom, V., Driessen, B., Maenhout, D., Geers, R., 2011. Peat as environmental enrichment for
- 392 piglets: The effect on behaviour, skin lesions and production results. Applied Animal Behaviour
- 393 Science 134, 42-47.

- Weary, D.M., Phillips, P.A., Pajor, E.A., Fraser, D., Thompson, B.K., 1998. Crushing of piglets by sows:
- effects of litter features, pen features and sow behaviour. Applied Animal Behaviour Science 61,103-111.
- Weber, R., Keil, N.M., Fehr, M., Horat, R., 2009. Factors affecting piglet mortality in loose farrowing
 systems on commercial farms. Livestock Science 124, 216-222.
- Westin, R., Holmgren, N., Hultgren, J., Ortman, K., Linder, A., Algers, B., 2015a. Post-mortem findings
- and piglet mortality in relation to strategic use of straw at farrowing. Preventive Veterinary Medicine119, 141-152.
- Westin, R., Hultgren, J., Algers, B., 2015b. Strategic use of straw increases nest building in loose
 housed farrowing sows. Applied Animal Behaviour Science 166, 63-70.
- 404 Wischner, D., Kemper, N., Krieter, J., 2009. Nest-building behaviour in sows and consequences for 405 pig husbandry. Livestock Science 124, 1-8.
- 406 Yun, J., Swan, K.-M., Farmer, C., Oliviero, C., Peltoniemi, O., Valros, A., 2014. Prepartum nest-building
- 407 has an impact on postpartum nursing performance and maternal behaviour in early lactating sows.
 408 Applied Animal Behaviour Science 160, 31-37.
- 409 Yun, J., Swan, K.-M., Vienola, K., Farmer, C., Oliviero, C., Peltoniemi, O., Valros, A., 2013. Nest-
- building in sows: Effects of farrowing housing on hormonal modulation of maternal characteristics.
- 411 Applied Animal Behaviour Science 148, 77-84.
- 412 Yun, J., Valros, A., 2015. Benefits of Prepartum Nest-building Behaviour on Parturition and Lactation
- 413 in Sows A Review.

414

415 Figure captions

- 416 **Table 1.** Litter traits and mortality causes (mean \pm SE): effects of nest-building material, the interaction
- 417 between nest-building material and parity, and the interaction between nest-building material and batch.
- 418 **Fig. 1.** The design of the farrowing pen.
- 419 Fig. 2. The interaction between material and parity regarding farrowing duration, min (mean \pm SE).
- 420 **Fig. 3.** Frequency distribution of the mortality of live born per sow (%), n=53.
- 421 Fig. 4. The interaction between material and parity regarding stillborn piglets (mean $\% \pm SE$).
- 422 Fig. 5. (a) Farrowing duration (min) in relation to total born piglets (live born + stillborn), n=51. (b)
- 423 Stillborn piglets (mean %) with respect to total born piglets, n=53 litters. (c) Mortality of live born
- 424 piglets (%) with respect to litter size (live born \pm cross-fostered), n=53 litters.




Fig. 1. The design of the farrowing pen.




Fig. 2. The interaction between material and parity regarding farrowing duration, min (mean \pm SE).




Fig. 3. Frequency distribution of the mortality of live born per sow (%), n=53.




Fig. 4. The interaction between material and parity regarding stillborn piglets (mean $\% \pm SE$).




Fig. 5. (a) Farrowing duration (min) in relation to total born piglets (live born + stillborn), n=51. (b) Stillborn piglets (mean %) with respect to total born piglets, n=53 litters. (c) Mortality of live born piglets (%) with respect to litter size (live born \pm cross-fostered), n=53 litters.

	Material					Material x Parity		Material x Batch	
	Control (n=18)	Peat (n=18)	Straw (n=17)	χ^{2} 2,37	P- value	χ^{2} 4,37	P- value	χ^{2} 4,37	P- value
Farrowing duration, min	438.1±82.6 ^a (n=16)	322.7±46.7 ^b (n=18)	295.8±41.1° (n=17)	262.72 ¹	< 0.001	307.31 ²	< 0.001	991.28 ²	< 0.001
Stillborn, % ³	8.1±1.9 ^a	6.0±1.8 ^b	2.8±1.0°	44.79	< 0.001	39.22	< 0.001	20.09	< 0.001
Live born	14.4 ± 0.9	15.8 ± 1.0	14.7±0.7	$F_{2,14} = 1.06$	0.3573	$F_{4,14} = 1.09$	0.3764	F 4,14 =1.94	0.1229
Litter size ⁴	14.4 ± 0.8	15.4±0.9	14.8±0.6	$F_{2,14} = 0.72$	0.493	F _{4,14} = 0.69	0.601	F 4,14 =1.52	0.215
Weaned	11.7±0.6	11.9±0.6	12.3±0.5	0.44	0.803	2.27	0.687	1.26	0.8688
Live born mortality,% ⁵	16.8±3.8	21.1±3.1	16.1±2.8	$F_{2,15} = 0.56$	0.574	F _{4,15} = 2.27	0.080	$F_{4,15} = 1.05$	0.395
Crushed,%	12.4±3.2	16.3±2.8	14.0 ± 2.7	$F_{2,15} = 0.43$	0.654	$F_{4,15} = 1.29$	0.293	$F_{4,15} = 0.98$	0.432
Starvation,%	3.3±1.6	3.7±1.6	1.4 ± 0.7	_ 6	- 6	_ 6	- 6	_ 6	- 6
Other causes,%	1.1±0.6	1.1±0.6	0.7 ± 0.5	_ 6	_ 6	_ 6	_ 6	_ 6	_ 6

Table 1. Litter traits and mortality causes (mean \pm SE): effects of nest-building material, the interaction between nest-building material and parity, and the interaction between nest-building material and batch.

 $^{1}\chi^{2}_{2,35}$

2 χ²4,35

 3 % of total born (live born + stillborn).

⁴Litter size: live born \pm cross-fostered piglets.

⁵% of litter size.

⁶Number of observations too low to analyse.

^{a-c} Means with superscripts are significantly different (P <0.01).